

# APRILIA SPIRIT EVERY DAY

aprilia®

SR MOTARD  
50 125



#be a racer

**FUN**  
**IN MOTION**

**SR** *MOTARD*



**125**

**50**

**APRILIA SR MOTARD: THE MOST SPIRITED SCOOTER ON THE ROAD**

*SR Motard expresses all of its Aprilia sport spirit in a compact and essential form, inspired by the motard world but tailored for city traffic. Brilliant to ride, young and stylish, comfortable and functional: pure fun for your daily travels.*

# BRILLIANT PERFORMANCE

aprilia®



**OF THE TWO MODERN AND ECOLOGICAL POWERTRAINS,  
CHOOSE THE ONE THAT BEST MATCHES YOUR NEEDS**

*The 50 2T engine is truly exceptional thanks to its light weight and performance. The 125 4T version enhances the horizons of your outings thanks to brilliant performance and high fuel economy. In any comparison Aprilia wins.*

**SPORT CHASSIS**

*The steel tube frame is equipped with a sturdy hydraulic telescopic fork on the front, while a dual action hydraulic shock absorber operates on the rear with adjustable spring preload.*

**SURE BRAKING**

*Your safety is guaranteed by the powerful action of the 220 mm front disc brake and the rear 140 mm drum.*

**MOTORCYCLE WHEELS**

*Black 14" wheel rims with five split spokes, inspired by Aprilia racing bikes. Maximum road holding in any situation.*

# SR MOTARD

# SPIRITED STYLE



#### GLOVE-BOX

Conveniently within reach on the leg shield back panel.



#### LARGE HELMET COMPARTMENT

Large enough for a flip-up helmet.



#### PERSONALISATION

Make your SR Motard even more personal and functional with original Aprilia accessories:

- Top box
- Windshield
- Leg cover
- Scooter cover
- Antitheft steering lock
- Electronic antitheft system

Sport handlebars, headlight assembly built into the shield with an aggressive design, sleek and aerodynamic rear. SR Motard conveys immediate charm, made even more spirited by the exclusive graphics and colour schemes of the body: Racing Grey, Racing White or Racing Black.

#### COMFORT FOOTREST

Comfortable saddle for two people. The flat footrest allows you to find the right position for your legs and increases cargo capacity.



#### INSTRUMENT PANEL

Monitors all the bike's performance clearly and immediately.

GRIGIO RACING



BIANCO RACING



NERO RACING

**SR MOTARD 50**

<b>Engine</b>	Single-cylinder, 2-stroke, Piaggio Hi-PER2
<b>Engine capacity</b>	49,4cc
<b>Bore x Stroke</b>	40 x 39.3 mm
<b>Maximum power</b>	3 kW (4.1 CV) @ 6,500 rpm
<b>Maximum Torque</b>	4.6 Nm at 6,000 rpm
<b>Timing system</b>	-
<b>Start up</b>	Electrical and kick starter
<b>Cooling system</b>	Forced air
<b>Gearbox</b>	Twist-and-go CVT with torque server
<b>Clutch</b>	Automatic centrifugal dry clutch
<b>Frame</b>	Single cradle structure in tubular steel with pressed reinforcements
<b>Front suspension</b>	Hydraulic telescopic fork; wheel travel:76 mm
<b>Rear suspension</b>	Single shock absorber; travel 76 mm
<b>Front brake</b>	Ø 220 mm brake disc and floating caliper with 25.4 mm dual pistons
<b>Rear brake</b>	140 mm drum
<b>Front tyre</b>	Tubeless 120/70 - 14"
<b>Rear tyre</b>	Tubeless 120/70 - 14"
<b>Length</b>	1940 mm
<b>Width</b>	720 mm (across levers)
<b>Saddle height</b>	775 mm
<b>Wheelbase</b>	1350 mm
<b>Fuel tank capacity</b>	7 litres (including 1.5 litre reserve)
<b>Emissions</b>	Euro 2

**SR MOTARD 125**

<b>Engine</b>	Single-cylinder, 4-stroke, Piaggio LEADER
<b>Engine capacity</b>	124cc
<b>Bore x Stroke</b>	57 mm x 48.6 mm
<b>Maximum power</b>	6.8 kW (9.3 CV) @ 8,500 rpm
<b>Maximum Torque</b>	8.2 Nm at 7,500 rpm
<b>Timing system</b>	single overhead camshaft (SOHC) - 2 valves
<b>Start up</b>	Electric
<b>Cooling system</b>	Forced air
<b>Gearbox</b>	Twist-and-go CVT with torque server
<b>Clutch</b>	Automatic centrifugal dry clutch
<b>Frame</b>	Single cradle structure in tubular steel with pressed reinforcements
<b>Front suspension</b>	Hydraulic telescopic fork; wheel travel:76 mm
<b>Rear suspension</b>	Single shock absorber; travel 82 mm
<b>Front brake</b>	Ø 220 mm brake disc and floating caliper with 25.4 mm dual pistons
<b>Rear brake</b>	140 mm drum
<b>Front tyre</b>	Tubeless 120/70 - 14"
<b>Rear tyre</b>	Tubeless 120/70 - 14"
<b>Length</b>	1940 mm
<b>Width</b>	720 mm (across levers)
<b>Saddle height</b>	775 mm
<b>Wheelbase</b>	1350 mm
<b>Fuel tank capacity</b>	7 litres (including 1.5 litre reserve)
<b>Emissions</b>	Euro 3

**Euro2** SR Motard 50 is an environmentally friendly vehicle compliant with Euro 2 regulations for exhaust and noise emissions.

**Euro3** SR Motard 125 is an environmentally friendly vehicle compliant with Euro 3 regulations for exhaust and noise emissions.

Drive safely always wearing a helmet and protective clothing. Observe the laws of the road and respect the environment. Carefully read the owners' handbook. Photographs, technical data, specifications and colours shown in this brochure refer to the Italian market version and may be subject to change without prior notice. Ask your official Aprilia dealers for full details. In order to maintain your machine in a safe and efficient manner, always demand official Aprilia Spare Parts, which are guaranteed by Aprilia Quality Service in respect of current legislation. Aprilia reserves the right to change colour/specification without prior notice.

The **aprilia** trademark is the property of Piaggio & C. S.p.A.

COMPANY WITH  
ENVIRONMENTAL SYSTEM  
CERTIFIED BY DNV  
= ISO 14001 =

COMPANY WITH  
QUALITY SYSTEM  
CERTIFIED BY DNV  
= ISO 9001 =

COMPANY WITH  
SAFETY SYSTEM  
CERTIFIED BY DNV  
= OHSAS 18001 =

